

UNITED STATES DEPARTMENT OF INTERIOR  
GEOLOGICAL SURVEY

Bibliography of Reports of Research by Personnel  
of the Branch of Petrophysics and Remote Sensing, U.S. Geological Survey,  
for 1975-1979

by  
Shirley L. Simpson

Open-File Report 81-116

1981

## CONTENTS

	Page
Introduction. . . . .	1
Bibliography for 1975-1979. . . . .	3
Energy. . . . .	3
Paleomagnetism. . . . .	11
Petrophysics. . . . .	14
Remote Sensing. . . . .	20
Other . . . . .	29
Bibliography of selected publications prior to 1975 . . . . .	31
Energy. . . . .	31
Paleomagnetism. . . . .	32
Petrophysics. . . . .	33
Remote Sensing. . . . .	35

## Introduction

Scientists with the Petrophysics and Remote Sensing Branch of the U.S. Geological Survey have been engaged in many areas of research mainly concerned with mineral resources, volcanology, geothermal resources, gravity and aero-magnetic studies, borehole geophysics, gamma-ray studies, paleomagnetism, spectroscopy, petrophysics, and applications of remote sensing. This bibliography will provide convenient access to research results that have been published, from 1975 through 1979 and part of 1980, in a variety of scientific journals, U.S. Geological Survey publications and open-file reports, and in reports issued by the National Technical Information Service (NTIS).

The list of publications has been categorized generally by areas of research: energy, paleomagnetism, petrophysics, and remote sensing. A category of "other" consists of papers not included under the four main headings. A section of selected papers published before 1975 appears at the end of the bibliography and offers a survey of older publications to provide background information on research completed during earlier years.

The following addresses may be used to order U.S. Geological Survey reports and maps. USGS Circular 777, "A Guide to Obtaining Information from the USGS, 1979" contains much helpful information.

### USGS book publications:

Branch of Distribution

U.S. Geological Survey

1200 South Eads Street

Arlington, VA 22202

Maps of areas west of the Mississippi River:

Branch of Distribution

U.S. Geological Survey

Box 25286 Federal Center

Denver, CO 80225

USGS open-file reports:

Open-File Services Section

U.S. Geological Survey

Box 25425 Federal Center

Denver, CO 80225

NTIS (National Technical Information Service) reports may be purchased  
from:

U.S. Department of Commerce

National Technical Information Service

Springfield, VA 22161

## BIBLIOGRAPHY FOR 1975-1979

Where senior author is not a Branch member, the reference is listed by the name (underlined) of the first junior author who is a Branch member.

### ENERGY

Dzurisin, D., Anderson, L. A., and others, 1980, Geophysical observations of Kilauea Volcano, Hawaii, 2. Constraints on the magma supply during November 1975-September 1977: Journal Volcanology and Geothermal Research, v. 7, p. 241-269.

Anderson, L. A., 1979, Interpretation of aeromagnetic data, in Simons, F. S., and others, Mineral resources of the Beartooth Primitive area and vicinity: U.S. Geological Survey Bulletin 1391-F, p. 43-47.

Anderson, L. A., Bisdorf, R. J., and Schoenthaler, D. R., 1980, Resistivity sounding investigation by the Schlumberger method in the Syncline Ridge area, Nevada Test Site, Nevada: U.S. Geological Survey Open-File Report 80-466, 11 p., 9 figs., appendix 44 p.

Anderson, L. A., and Johnson, G. R., 1976, Application of the self-potential method to geothermal exploration in Long Valley, California: Journal Geophysical Research, v. 81, no. 5, p. 1527-1532.

\_\_\_\_\_, 1978, Some observations of the self-potential effect in geothermal areas in Hawaii and Nevada: Geothermal Resources Council Transactions, v. 2, sec. 1, p. 9-12.

Anderson, L. A., and Mabey, D. R., 1981, The investigation of anomalous magnetization in the Raft River Valley, Idaho: Geophysics [in press].

Reiser, H. N., Brosge, W. P., DeYoung, J. H., Jr., Marsh, S. P., Hamilton, T. D., Cady, J. W., and Albert, N. R. D., 1978, The Alaskan Mineral Resource Assessment Program: Guide to information contained in the folio of geologic and mineral resource maps of the Chandalar quadrangle, Alaska: U.S. Geological Survey Circular 758, 23 p.

Smith, B. D., Cady, J. W., Campbell, D. L., Daniels, J. J., and Flanigan, V. J., 1976, A case for "other" geophysical methods in exploration for uranium deposits: International Atomic Energy Agency, Proceedings, International Symposium on Exploration for Uranium Ore Deposits, Vienna, Austria, p. 337-351.

Wallace, A. R., and Cady, J. W., 1977, Geophysical and petrologic studies of radioactive contact zones of pyroxenite dikes in the Ekiek Creek nepheline syenite, western Alaska, in Campbell, J. A., ed., Short Papers of the U.S. Geological Survey Uranium-Thorium Symposium, 1977: U.S. Geological Survey Circular 753, p. 6-8.

Cady, J. W., 1976, Regional gravity and aeromagnetic studies applied to uranium exploration in northeast Washington and Wyoming: U.S. Geological Survey Open-File Report 76-317, 21 p.

\_\_\_\_ 1977, Aeromagnetic interpretation map of Seward Peninsula, Alaska: U.S. Geological Survey Open-File Map 77-796G, scale 1:250,000.

\_\_\_\_ 1977, Calculation of gravity and magnetic anomalies along profiles with end corrections and inverse solutions for density and magnetization: U.S. Geological Survey Open-File Report 77-463.

\_\_\_\_ 1978, Aeromagnetic map and interpretation of the Philip Smith Mountains quadrangle, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-879E, scale 1:250,000.

\_\_\_\_ 1979, Aeromagnetic map and interpretation of the Chandalar quadrangle, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF-878C, scale 1:250,000.

\_\_\_\_ 1980, Calculation of gravity and magnetic anomalies of finite-length right polygonal prisms: *Geophysics*, v. 45, p. 1507-1512.

\_\_\_\_ 1980, Gravity highs and crustal structure, Omineca crystalline belt, northeastern Washington and southern British Columbia: *Geology*, v. 7, p. 328-332.

Cady, J. W., and Hummel, C. L., 1976, Magnetic studies of selected geologic and aeromagnetic features in southwest Seward Peninsula, West-Central Alaska: U.S. Geological Survey Open-File Report 76-425, 1 pl., 56 p.

Cady, J. W., and Meyer, R. F., 1976, Bouguer gravity map of the Okanogan, Sandpoint, Ritzville, and Spokane  $1^{\circ}$  and  $2^{\circ}$  quadrangles, northeastern Washington and northern Idaho: U.S. Geological Survey Geophysical Investigations Map GP-914, scale 1:250,000.

\_\_\_\_ 1976, Principal facts for gravity stations in the Okanogan, Sandpoint, Ritzville, and Spokane  $1^{\circ}$  and  $2^{\circ}$  quadrangles, northeastern Washington and northern Idaho: U.S. Geological Survey Open-File Report 76-290, 57 p.

Cady, J. W., and O'Connor, L. J., 1975, Principal facts for gravity stations in the Granite Mountains, Wyoming: U.S. Geological Survey Open-File Report 75-251, 8 p.

Campbell, D. L., 1975, Schlumberger electric soundings near Yellow Creek, Rio Blanco County, Colorado: U.S. Geological Survey Open-File Report 75-354, 28 p.

\_\_\_\_ 1977, Electric and electromagnetic soundings near Charleston, South Carolina--a preliminary report, in Rankin, D. W., ed., Geological, geophysical, and seismological studies related to the Charleston, South Carolina, earthquake of 1886: a preliminary report: U.S. Geological Survey Professional Paper 1028-N, p. 189-198.

Campbell, D. L., 1977, Electrical soundings near Yellow Creek, Rio Blanco County, Colorado: U.S. Geological Survey Journal Research, v. 5, no. 2, p. 193-205.

\_\_\_\_ 1977, FORTRAN programs to calculate differential stress concentration factors around two-dimensional circular and elliptical inclusions in an edge-loaded plate: U.S. Geological Survey Open-File Report 77-459, 16 p.

\_\_\_\_ 1977, Mining Geophysics, 1976: Mining Engineering, v. 29, no. 2, p. 64-68.

\_\_\_\_ 1977, Model for estimating electric macroanisotropy coefficient of aquifers with vertical and horizontal fractures: Geophysics, v. 42, no. 1, p. 114-117.

\_\_\_\_ 1977, Schlumberger electrical soundings in the Charleston, S.C., earthquake zone: U.S. Geological Survey Open-File Report 77-617, 30 p., 1 pl.

\_\_\_\_ 1978, Investigation of the stress-concentration mechanism for intraplate earthquakes: Geophysical Research Letters, v. 5, no. 6, p. 477-480.

\_\_\_\_ 1980, Gravity terrain corrections for stations on a uniform slope--a power law approximation: Geophysics, v. 45, no. 1, p. 109-112.

Texas Instruments Model 59 hand-calculator programs:

Campbell, D. L., 1979, Texas Instruments Model 59 hand-calculator program for interpretation of refraction seismic data over up to four dipping layers: U.S. Geological Survey Open-File Report 79-1662, 7 p.

\_\_\_\_ 1979, Texas Instruments Model 59 hand-calculator program to calculate theoretical MT planewave soundings over a structure of up to 10 horizontal layers: U.S. Geological Survey Open-File Report 79-1613, 6 p.

\_\_\_\_ 1980, Texas Instruments Model 59 hand-calculator program to calculate magnetic anomaly over half-infinite dipping thick or thin dikes: U.S. Geological Survey Open-File Report 80-, 9 p. [in press].

Haines, D. N., and Campbell, D. L., 1979, Texas Instruments Model 59 hand-calculator program to calculate gravity anomaly over 2-D prisms of as many as 18 vertices: U.S. Geological Survey Open-File Report 79-1687, 9 p.

\_\_\_\_ 1979, Texas Instruments Model 59 hand-calculator program to calculate magnetic anomaly over 2-D prisms of up to 12 vertices: U.S. Geological Survey Open-File Report 79-1620, 7 p.

\_\_\_\_ 1980, Texas Instruments Model 59 hand-calculator program to calculate theoretical Wenner and Schlumberger vertical electric soundings over a structure of up to 10 horizontal layers: U.S. Geological Survey Open-File Report 80-190, 15 p.

Campbell, D. L., and Flanigan, V. J., 1976, Ground magnetic and VLF studies at Midnite uranium mine, Stevens County, Washington: U.S. Geological Survey Open-File Report 76-230, 17 p.

Campbell, D. L., and Grauch, R. I., 1977, Ground magnetic, E-mode VLF, and radiometric surveys at Phillips Mine-Camp Smith uranium prospect, Westchester and Putnam Counties, New York: U.S. Geological Survey Open-File Report 77-780, 18 p., 4 pl., 7 figs.

Campbell, D. L., Grauch, R. I., and Nutt, C. J., 1979, New geologic, ground magnetic, E-mode VLF, and radiometric surveys at Phillips Mine-Camp Smith uranium prospect, Westchester and Putnam Counties, New York: U.S. Geological Survey Open-File Report 79-1078, 16 p., 5 pl.

Campbell, D. L., and Olhoeft, G. R., 1977, Laboratory measurements of complex resistivity characteristics of oil shales from Saterdal #1 corehole, Piceance Creek Basin, Colorado: U.S. Geological Survey Open-File Report 77-410, 7 p., 6 figs.

Campbell, D. L., and Watts, R. D., 1978, Exploration geophysics calculator programs for use on Hewlett-Packard models 67 and 97 programmable calculators: U.S. Geological Survey Open-File Report 78-815, 74 p.

Hagstrum, J. T., Daniels, J. J., and Scott, J. H., 1980, Interpretation of geophysical well-log measurements in UE25a-1, Nevada Test Site, Radioactive Waste Program: U.S. Geological Survey Open-File Report 80-941, 34 p.

Smith, B. D., and Daniels, J. J., 1976, Induced polarization surveys applied to exploration for roll-front uranium deposits: U.S. Geological Survey Open-File Report 76-73, 21 p.

Daniels, J. J., 1977, A computer program to calculate the resistivity and induced polarization response for a three-dimensional body in the presence of buried electrodes: U.S. Geological Survey Open-File Report 77-153, 74 p.

\_\_\_\_\_, 1977, Extending the range of investigation of borehole electrical measurements: Society of Professional Well Log Analysts, Transactions, 18th Annual Logging Symposium, p. D1-D18.

\_\_\_\_\_, 1977, Three-dimensional resistivity and induced polarization modeling using buried electrodes: Geophysics, v. 42, no. 5, p. 1006-1019.

\_\_\_\_\_, 1978, A computer program for calculating the direct current resistivity response for electrodes buried in a horizontally stratified earth: National Technical Information Service, PB-286 323.

\_\_\_\_\_, 1978, Interpretation of buried electrode resistivity data using a layered earth model: Geophysics, v. 43, no. 5, p. 988-1001.

Daniels, J. J., 1980, Hole-to-surface resistivity measurements at Salt Valley, Utah: U.S. Geological Survey Open File Report 80-981, 35 p.

Daniels, J. J., Hite, R. J., and Scott, J. H., 1980, Geophysical well-log measurements in three drill holes at Salt Valley, Utah, Radioactive Waste Program: U.S. Geological Survey Open-File Report 80- [in press].

Daniels, J. J., and Scott, J. H., 1978, The role of borehole electrical measurements in uranium exploration: transcript of talk presented at the Uranium-Thorium Research and Resources Conference, April 27-29, 1977: U.S. Geological Survey Open-File Report 78-326, 18 p.

\_\_\_\_\_, 1980, Borehole geophysical measurements for drill hole UE25a-3, Nevada Test Site: U.S. Geological Survey Open-File Report 80-126, 32 p.

\_\_\_\_\_, 1980, An experiment to test hole-to-hole resistivity measurements for locating mine openings in coal seams: U.S. Geological Survey Open-File Report 80-895, 11 p.

\_\_\_\_\_, 1980, Computer-assisted interpretation of geophysical well logs in a coal depositional environment, Illinois Basin, Kentucky: U.S. Geological Survey Bulletin B-1509.

Daniels, J. J., Scott, J. H., Blackmon, P. D., and Starkey, H. C., 1977, Borehole geophysical investigations in the South Texas uranium district: U.S. Geological Survey Journal Research, v. 5, no. 3, p., 343-357.

Daniels, J. J., Scott, J. H., and Hite, R. J., 1979, Analysis of borehole geophysical data in an evaporite sequence at Salt Valley, Utah: Society of Professional Well Log Analysts, Transactions, 20th Annual Logging Symposium, p. M1-M19. Also U.S. Geological Survey Open-File Report 80-525, 19 p.

Daniels, J. J., Scott, J. H., Smith, B. D., 1979, Analysis of borehole geophysical information across a uranium deposit in the Jackson Group, Karnes County, Texas: U.S. Geological Survey Open-File Report 79-585, 32 p, 13 figs.

Dickinson, K. A., and Duval, J. S., 1977, South Texas uranium: geologic controls, potential, exploration techniques, and production, in Campbell, J. A., ed., Geology of alternate energy resources in the south-central United States: Houston Geological Society, p., 45-66.

Macke, D. L., Duval, J. S., and Pitkin, J. A., 1978, Aerial gamma-ray maps of part of the southern Powder River Basin in Converse County, Wyoming: U.S. Geological Survey Miscellaneous Field Studies Map MF-956.

Duval, J. S., 1976, Statistical interpretation of airborne gamma-ray spectrometric data using factor analysis: International Atomic Energy Agency, Proceedings International Symposium on Exploration for Uranium Ore Deposits, Vienna, Austria, p. 71-80.

- Duval, J. S., 1977, High sensitivity gamma-ray spectrometry--state of the art and trial application of factor analysis: *Geophysics*, v. 42, p. 549-559.
- \_\_\_\_\_, 1979, Aerial gamma-ray surveys, in Radiometric surveys in uranium exploration: International Atomic Energy Agency [in press].
- \_\_\_\_\_, 1980, Radioactivity method: *Geophysics*, v. 45, no. 11, p. 1690-1694.
- Duval, J. S., and Martin, R. A., 1977, Interpretation of an aeromagnetic anomaly in McMullen and Live Oak Counties, Texas: U.S. Geological Survey Open-File Report 77-768, 8 p., 3 figs.
- Duval, J. S., and Pitkin, J. A., 1977, A plastic detector for use in the aerial measurement of apparent surface concentrations of potassium, uranium, and thorium: *EOS (American Geophysical Union Transactions)*, v. 58, p. 1250.
- \_\_\_\_\_, 1978, A large-volume plastic detector for aerial gamma-ray spectroscopy: *American Nuclear Society, Transactions*, v. 28, p. 118.
- \_\_\_\_\_, 1981, An experimental test of a large-volume plastic detector for use in aerial gamma-ray spectroscopy: *Geophysics* [in press].
- \_\_\_\_\_, 1980, Interpretation of an aerial radiometric and magnetic survey of the Sierra Ancha Wilderness, Salome study area, and vicinity, Gila County, Arizona: U.S. Geological Survey Miscellaneous Field Studies Map MF-1162F [in press].
- Duval, J. S., Pitkin, J. A., and Macke, D. L., 1977, Aeromagnetic map of part of the southern part of the Powder River Basin, Wyoming: U.S. Geological Survey Open-File Report 77-621, 1 pl.
- \_\_\_\_\_, 1978, Aerial gamma-ray survey in the northern part of the Boulder batholith, Jefferson County, Montana: U.S. Geological Survey Open-File Report 78-180, 16 p.
- Duval, J. S., and Schulz, K. A., 1980, Aerial gamma-ray survey in Duval, McMullen, Live Oak, and Webb Counties, Texas, in Shorter contributions to geophysics, 1979: U.S. Geological Survey Professional Paper 1123-D, p. D1-D11.
- Duval, J. S., Schulz, K. A., and Pitkin, J. A., 1977, Calibration constants for the Geodata International, Inc. and Texas Instruments, Inc. high-sensitivity systems used for the ERDA aerial gamma-ray surveys: U.S. Geological Survey Open-File Report 77-159, 15 p.
- Hasbrouck, W. P., 1977, First-approximation reduction of gravity data with the aid of a programmable pocket calculator: U.S. Geological Survey Open-File Report 77-600, 39 p.
- \_\_\_\_\_, 1977, Working drawings of a Kirk Shear Wave Source: U.S. Geological Survey Open-File report 77-622, 7 p.

- Hasbrouck, W. P., 1979, Coal-seismic computer programs in BASIC; part 1: store, plot, and edit array data: U.S. Geological Survey Open-File Report 79-242, 38 p., 6 figs.
- 1980, Coal-seismic desk-top computer programs in BASIC; part 2: enter, compute, display, edit, and store results of downhole, inhole, and crosshole investigations: U.S. Geological Survey Open-File Report 80-669, 88 p., 46 figs.
- 1980, Coal-seismic desk-top computer program in BASIC, part 3: compute, tabulate, and plot normal moveout times: U.S. Geological Survey Open-File Report 80-670, 21 p., 11 figs.
- 1980, Coal-seismic desk-top computer programs in BASIC, part 4: transfer, edit, and display observed data: U.S. Geological Survey Open-File Report 80-668, 47 p., 15 figs.
- Hasbrouck W. P., Danilchik, Walter, and Roehler, H. W., 1980, Magnetic location of igneous dikes cutting coal measures near Walsenburg, Colorado, in Carter, L. M., ed., Fourth Symposium on the Geology of Rocky Mountain Coal-1980: Colorado Geological Survey Resources Series 10, p. 95-98.
- Hasbrouck, W. P., and Hadsell, F. A., 1976, Geophysical exploration techniques applied to Western United States coal deposits, in Coal exploration, First International Coal Exploration Symposium, Proceedings, London, England, May 18-21: San Francisco, Miller Freeman Publications, Inc., p. 256-287.
- 1978, Geophysical techniques for coal exploration and development, in Hodgson, H. E., ed., 1977 Symposium on Geology of Rocky Mountain Coal, Proceedings: Colorado Geological Survey Resource Series 4, p. 187-218.
- Johnson, G. R., and England, A. W., 1977, Microwave radiometric survey of the San Joaquin Nuclear Project Site, Kern County, California: U.S. Geological Survey Journal Research, v. 5, no. 4, p. 431-435.
- Sumner, J. R., Meyer, R. F., Donleavy, J. M., and Flemming, R. S., 1976, Principal facts for gravity stations in the Newark-Gettysburg Triassic basin, Pennsylvania and adjacent states: U.S. Geological Survey Open-File Report 76-302, 30 p.
- Meyer, R. F., and Wilson, D. M., 1975, Principal facts for gravity stations in the Spokane area, Washington: U.S. Geological Survey Open-File Report 75-503, 12 p.
- Nelms, C. A., 1976, Application of electrical well-logging techniques to identifying coal beds in the Powder River Basin, Wyoming: U.S. Geological Survey Open-File Report 76-581, 59 p.
- Offield, T. W., 1976, Remote sensing in uranium exploration: International Atomic Energy Agency, Proceedings International Symposium on Exploration for Uranium Ore Deposits, Vienna, Austria, p. 731-744.

Flanigan, V. J., and Pitkin, J. A., 1978, Airborne gamma-ray spectrometry survey of the Jabal Sayid area, Kingdom of Saudi Arabia: U.S. Geological Survey Open-File Report 79-672, 37 p., 15 figs.

Pitkin, J. A., and Duval, J. S., 1980, Design parameters for aerial gamma-ray surveys: *Geophysics*, v. 45, no. 9, p. 1427-1439.

\_\_\_\_\_, 1980, Interpretation of an aerial radiometric and magnetic survey of the Salmo-Priest study area (RARE E6-981 A1-981), Pend Orielle County, Washington, and Boundary County, Idaho: U.S. Geological Survey Miscellaneous Field Studies Map MF-1192B, scale 1:48,000.

Pitkin, J. A., and Long, C. L., 1977, Interpretation of data from an aerial gamma-ray survey in the Cripple Creek district, Teller County, Colorado: U.S. Geological Survey Open-File Report 77-534, 12 p., 1 fig., 5 pls.

Schulz, K. A., 1975, Airborne gamma-ray spectrometry and aeromagnetic survey of the Freer area in Duval, Live Oak, McMullen, and Webb Counties, Texas: U.S. Geological Survey Open-File Report 75-294, 5 p.

\_\_\_\_\_, 1975, Airborne gamma-ray spectrometry and aeromagnetic survey of part of the southern Powder River Basin in Converse County, Wyoming: U.S. Geological Survey Open-File Report 75-661, 4 p.,

\_\_\_\_\_, 1976, Preliminary contour maps of a gamma-ray spectrometer and aeromagnetic survey of the Freer area in Duval, Live Oak, McMullen, and Webb Counties, Texas: U.S. Geological Survey Open-File Report 76-525, 3 p., 9 pls.

O'Connor, L. J., Smith, B. D., and Scott, J. H., 1979, Geophysical data from the Blacktail Mountain drilling site, Flathead County, Montana: U.S. Geological Survey Open-File Report 79-940, 23 p., 1 pl.

Scott, J. H., 1977, Borehole compensation algorithms for a small-diameter dual-detector density well-logging probe: Society of Professional Well Log Analysts, Transactions, 18th Annual Logging Symposium, p. S1-S17.

\_\_\_\_\_, 1977, SIPB--A seismic refraction inverse modeling program for batch computer systems: U.S. Geological Survey Open-File Report 77-366, 107 p.

\_\_\_\_\_, 1977, SIPT--A seismic refraction inverse modeling program for time-share terminal computer systems: U.S. Geological Survey Open-File Report 77-365, 108 p.

\_\_\_\_\_, 1978, A computer program for borehole compensation of dual-detector density well logs: U.S. Geological Survey Open-File Report 78-515, 7 p.

\_\_\_\_\_, 1978, A FORTRAN algorithm for correcting normal resistivity logs for borehole diameter and mud resistivity: U.S. Geological Survey Open-File Report 78-669, 12 p.

Scott, J. H., 1980, Pitfalls in determining the dead time of nuclear well-logging probes: Society of Professional Well Log Analysts, Transactions, 21st Annual Logging Symposium, Section H, p. 1-11.

Scott, J. H., and Daniels, J. J., 1976, Nonradiometric borehole geophysical detection of geochemical halos surrounding sedimentary uranium deposits: International Atomic Energy Agency, Proceedings International Symposium on Exploration for Uranium Ore Deposits, Vienna, Austria, p. 379-390.

Scott, J. H., Daniels, J. J., Hasbrouck W. P., and Guu, J. Y., 1975, Hole-to-hole geophysical measurement research for mineral exploration: Society of Professional Well Log Analysts, Transactions, 16th Annual Logging Symposium, Section KK, p. 1-14.

Scott, J. H., and Farstad, A. J., 1977, Electrical resistivity well-logging system with solid-state electronic circuitry: U.S. Geological Survey Open-File Report 77-144, 24 p., 4 pls.

Scott, J. H., Zablocki, C. J., and Clayton, G. H., 1979, Geophysical well-logging data for exploratory well 2-2A, NW 1/4 Sec. 15, T.5N., R.31E., Idaho National Engineering Laboratory, Butte County, Idaho: U.S. Geological Survey Open-File Report 79-1460, 1 pl.

#### PALEOMAGNETISM

Bressler, S. L., and Butler, R. F., 1978, Magnetostratigraphy of the Late Tertiary Verde Formation, central Arizona: Earth and Planetary Science Letters, v. 38, no. 2, p. 319-330.

Bressler, S. L., and Elston, D. P., 1980, Declination and inclination errors in experimentally deposited specularite-bearing sand: Earth and Planetary Science Letters, v. 48, p. 227-232.

Bressler, S. L., Elston, D. P., and Purucker, M. E., 1979, Depositional remanent magnetization in ancient specularite-bearing red beds: EOS (American Geophysical Union Transactions), v. 60, no. 18, p. 237.

Liddicoat, J. C., and Coe, R. S., 1979, Mono Lake geomagnetic excursion: Journal Geophysical Research, v. 84, p. 261-271.

Coe, R. S., Grommé, C. S., and Mankinen, E. A., 1978, Geomagnetic paleointensities from radiocarbon-dated lava flows on Hawaii and the question of the Pacific nondipole low: Journal Geophysical Research, v. 83, p. 1740-1756.

Cox, A. V., Hillhouse, J. W., and Fuller, M., 1975, Paleomagnetic records of polarity transitions, excursions, and secular variation: Reviews of Geophysical and Space Physics, v. 13, p. 185-189.

McKee, E. H., and Elston, D. P., 1980, Reversal chronology from a 7.9-11.5-m.y.-old volcanic sequence in central Arizona: comparison with ocean floor polarity record: Journal Geophysical Research, v. 85, no. B1, p. 327-337.

Purucker, M. E., Elston, D. P., and Bressler, S. L., 1980, Polarity and magnetic susceptibility correlation of cores from late Cenozoic glaciogenic sediments, Taylor Valley, Antarctica, in McGinnis, L. D., ed., Dry Valley Drilling Project, Antarctica: American Geophysical Union Geophysical Monograph [in press].

Purucker, M. E., Elston, D. P., and Shoemaker, E. M., 1979, Early acquisition of characteristic magnetization in red beds of the Moenkopi Formation (Triassic), Gray Mountain, Arizona: Journal Geophysical Research, v. 85, no. B2, p. 997-1012.

Elston, D. P., and Bressler, S. L., 1977, Paleomagnetic poles and polarity zonation from Cambrian and Devonian strata of Arizona: Earth and Planetary Science Letters, v. 36, p. 423-433.

\_\_\_\_\_, 1978, Stratigraphic and paleomagnetic relations between basal Cambrian and Devonian strata in central Arizona, in Burt, D. M., and Péwé, T. L., eds., Geology of central Arizona: Geological Society America Cordilleran Section Guidebook, Special Paper no. 2, 74th Annual Meeting, Tempe, Arizona, p. 138-143.

\_\_\_\_\_, 1979, Paleomagnetic poles and polarity zonation from the middle Proterozoic Belt Supergroup, Montana and Idaho: Journal Geophysical Research, v. 85, no. B1, p. 339-355.

\_\_\_\_\_, 1980, Magnetic stratigraphy of DVDP drill cores and late Cenozoic history of Taylor Valley, Transarctic Mountains, Antarctica, in McGinnis, L. D., ed., Dry Valley Drilling Project, Antarctica: American Geophysical Union Geophysical Monograph [in press].

Elston, D. P., and Purucker, M. E., 1979, Detrital magnetization in red beds of the Moenkopi Formation (Triassic), Gray Mountain, Arizona: Journal Geophysical Research, v. 84, no. B4, p. 1653-1665.

Dalrymple, G. B., Grommé, C. S., and White, R. W., 1975, Potassium-argon age and paleomagnetism of diabase dikes in Liberia: Initiation of central Atlantic rifting: Geological Society America Bulletin, v. 86, p. 399-411.

Prévot, Michel, and Grommé, C. S., 1975, Intensity of magnetization of sub-aerial and submarine basalts and its possible change with time: Royal Astronomical Society Geophysical Journal, v. 40, p. 207-224.

Van der Voo, R., Jones, M., Grommé, C. S., Eberlein, G. D., and Churkin, Michael, Jr., 1980, Paleozoic paleomagnetism and the northward drift of the Alexander terrane, southeastern Alaska: Journal Geophysical Research, v. 85, p. 5281-5296.

Grommé, C. S., and Hillhouse, J. W., 1980, Paleomagnetic evidence for northward movement of the Chugach terrane, south and southeastern Alaska, in Albert, N. R. D., and Hudson, Travis, eds., ALASKA: Accomplishments during 1979: U.S. Geological Survey Circular [in press].

Grommé, C. S., and Mankinen, E. A., 1976, Natural remanent magnetization, magnetic properties, and oxidation of titanomagnetite in basaltic rocks from D.S.D.P. Leg 34: Initial Reports of the Deep-Sea Drilling Project, Yeats, R. S., and Hart, S. R., eds., v. 34.

Grommé, C. S., Mankinen, E. A., Marshall, C. M., and Coe, R. S., 1979, Geomagnetic paleointensities by the Thelliers' method from submarine pillow basalts: effects of seafloor weathering: Journal Geophysical Research, v. 84, no. B7, p. 3553-3575.

Case, J. E., Tysdal, R. G., Hillhouse, J. W., Grommé, C. S., 1979, Geologic interpretation of aeromagnetic map of the Seward and Blying Sound quadrangles, Alaska: U.S. Geological Survey Miscellaneous Field Studies Map MF 880-D, scale 1:250,000, 2 sheets.

Jones, D. L., Silberling, N. J., and Hillhouse, J. W., 1977, Wrangellia-A displaced terrane in northwestern North America: Canadian Journal Earth Science, v. 14, (Nov. 1977), p. 2565-2577.

\_\_\_\_\_, 1978, Microplate tectonics of Alaska - Significance for the Mesozoic history of the Pacific Coast of North America, in Howell, D. C., and McDougall, K. A., eds., Mesozoic paleogeography of the Western United States: Society of Economic Paleontologists and Mineralogists, p. 71-74.

Hillhouse, J. W., 1976, Paleomagnetism of the Plio-Pleistocene sediments of Lake Tecopa, California, and East Rudolf, Kenya: Magnetic stratigraphy and polarity transitions: U.S. Geological Survey Open-File Report 76-173, 225 p.

\_\_\_\_\_, 1977, A method for the removal of rotational remanent magnetization acquired during alternating field demagnetization: Royal Astronomical Society Geophysical Journal, v. 50, p. 29-34.

\_\_\_\_\_, 1977, Paleomagnetic investigation of Late Quaternary sediments of south San Francisco Bay, California: U.S. Geological Survey Open-File Report 77-457, 24 p., 18 figs., 1 table.

\_\_\_\_\_, 1977, Paleomagnetism of the Triassic Nikolai Greenstone, McCarthy quadrangle, Alaska: Canadian Journal Earth Science, v. 14 (Nov. 1977), p. 2578-2592.

Hillhouse, J. W., and Cox, A. V., 1976, Brunhes-Matuyama polarity transition: Earth and Planetary Science Letters, v. 29, p. 51-64.

Hillhouse, J. W., and Grommé, C. S., 1980, Paleolatitude of Triassic basalt in the Clearwater Mountains, south-central Alaska, in Albert, N. R. D., and Hudson, Travis, eds., ALASKA: Accomplishments during 1979: U.S. Geological Survey Circular [in press].

\_\_\_\_\_, 1980, Paleomagnetic investigation in the Chulitna terrane, south-central Alaska, in Albert, N. R. D., and Hudson, Travis, eds., ALASKA: Accomplishments during 1979: U.S. Geological Survey Circular [in press].

Hillhouse, J. W., and Grommé, C. S., 1980, Paleomagnetism of the Triassic Hound Island Volcanics, Alexander terrane, southeastern Alaska: *Journal Geophysical Research*, v. 85, p. 2594-2602.

— 1980, Paleomagnetism of Triassic red beds and basalt in the Chulitna terrane, south-central Alaska: *U.S. Geological Survey Open-File Report 80-368*, 27 p.

Mercer, J. H., Fleck, R. J., Mankinen, E. A., and Sander, W., 1975, Southern Patagonia: Glacial events between 4 m.y. and 1 m.y. ago, in Suggate, R. R., and Cresswell, M. M., eds., *Quaternary studies: Royal Society New Zealand, Wellington, Proceedings INQUA Congress*, p. 223-230.

Prévet, Michel, Lecaille, A., and Mankinen, E. A., 1980, Magnetic effects of maghemitization of oceanic crust: *Journal Geophysical Research [in press]*.

Williams, D. L., Berkman, F., and Mankinen, E. A., 1977, Implications of a magnetic model of the Long Valley caldera, California: *Journal Geophysical Research*, v. 82, p. 3030-3038.

Mankinen, E. A., 1978, Paleomagnetic evidence for a late Cretaceous deformation of the Great Valley sequence, Sacramento Valley, California: *U.S. Geological Survey Journal Research*, v. 6, p. 383-390.

Mankinen, E. A., and Dalrymple, G. B., 1979, Revised geomagnetic polarity time scale for the interval 0 to 5 m.y. B.P.: *Journal Geophysical Research*, v. 84, p. 615-626.

Mankinen, E. A., Donnelly, J. M., and Grommé, C. S., 1978, Geomagnetic polarity event recorded at 1.1 m.y. B.P. on Cobb Mountain, Clear Lake volcanic field, California: *Geology*, v. 6, p. 653-656.

Mankinen, E. A., Donnelly-Nolan, J. M., Grommé, C. S., and Hearn, B. C., Jr., 1981, Paleomagnetism of the Clear Lake volcanics and new limits on the age of the Jaramillo normal polarity event, in McLaughlin, R. J., and Donnelly-Nolan, J. M., eds., *Research in the Geysers-Clear Lake geothermal area: U.S. Geological Survey Professional Paper 1141 [in press]*.

Marshall, C. M., 1978, The magnetic properties of some D.S.D.P. basalts from the north Pacific, and inferences for Pacific plate tectonics: *Journal Geophysical Research*, v. 83, p. 289-308.

#### PETROPHYSICS

Logan, L. M., Hunt, G. R., and Salisbury, J. W., 1975, The use of mid-infrared spectroscopy in remote sensing of space targets, chap. 9, in Karr, C., ed., *Infrared and Raman spectroscopy of lunar and terrestrial minerals: New York, Academic Press*, p. 117-142.

Salisbury, J. W., Hunt, G. R., and Lenhoff, C. J., 1975, Visible and near-infrared spectra of minerals and rocks: X. Stony meteorites: Modern Geology, v. 5, p. 115-126.

Hunt, G. R., (contributing author), 1975, Terrain and minerals: Assessment and evaluation, chap. 16, in Bowden, L. W., and Pruitt, E. L., eds., Manual of remote sensing, v. II: Falls Church, Va., American Society Photogrammetry, p. 1239-1240.

Hunt, G. R., 1977, Comments on the origin of features in mineral and rock spectra detectable in the three-micrometer range: U.S. Geological Survey Open-File Report 77-726, 7 p.

\_\_\_\_\_, 1977, Spectral signatures of particulate minerals in the visible and near-infrared: Geophysics, v. 42, p. 510-513.

\_\_\_\_\_, 1979, Near-infrared (1.3 to 2.4 m) spectra of alteration minerals--potential use in remote sensing: Geophysics, v. 44, p. 1974-1986.

\_\_\_\_\_, 1979, Spectra of rocks and soils from the eastern Shoshone Range, Nevada, U.S. Geological Survey Open-File Report 79-707.

\_\_\_\_\_, 1979, Spectroscopic measurements, in Hunt, G. R., and others, Initial report of the Petrophysics Laboratory: U.S. Geological Survey Circular 789, p. 49-67.

\_\_\_\_\_, 1980, Electromagnetic radiation: The communication link in remote sensing, in Siegal, B. S., and Gillespie, A. R., eds., Remote sensing in geology: New York, John Wiley and Sons, p. 5-45.

\_\_\_\_\_, 1980, Modifications of integrating sphere accessory to allow spectroscopic measurements of horizontal surfaces from above: Applied Optics, v. 19, no. 11, p. 1746-1747.

\_\_\_\_\_, 1980, Spectroscopic properties, in CRC handbook of physical properties of rocks and minerals: Chemical Rubber Company Press, Inc. [in press].

Hunt, G. R., and Ashley, R. P., 1979, Spectra of altered rocks in the visible and near infrared: Economic Geology, v. 74, p. 1613-1629.

Hunt, G. R., and Evarts, R. C., 1980, The use of near-infrared spectroscopy to indicate the degree of serpentinization in harzburgites and dunites: Geophysics [in press].

Hunt, G. R., and Hall, R. B., 1980, Identification of kandites and associated minerals in altered volcanic rocks by visible near-infrared spectroscopy: Clays and Clay Minerals, Clay Minerals Society [in press].

Hunt, G. R., Johnson, G. R., Olhoeft, G. R., Watson, D. E., and Watson, Kenneth, 1979, Initial report of the Petrophysics Laboratory: U.S. Geological Survey Circular 789, 74 p.

Hunt, G. R., and Salisbury, J. W., 1975, Mid-infrared spectral behavior of sedimentary rocks: AFCRL-TR-75-0356, Environment Research Paper 520, 49 p.

\_\_\_\_\_, 1976, Infrared spectral behavior of finely particulate solids: Journal Physical Chemistry, v. 80, p. 1195.

\_\_\_\_\_, 1976, Mid-infrared spectral behavior of metamorphic rocks: AFCRL-TR-76-0003, Environment Research Paper 543, 67 p.

\_\_\_\_\_, 1976, Visible and near-infrared spectra of minerals and rocks: XI. Sedimentary rocks: Modern Geology, v. 5, p. 212-218.

\_\_\_\_\_, 1976, Visible and near-infrared spectra of minerals and rocks: XII. Metamorphic rocks: Modern Geology, v. 5, p. 219-228.

\_\_\_\_\_, 1978, Assessment of Landsat filters for rock type discrimination, based on intrinsic information in laboratory spectra: Geophysics, v. 43, no. 4, p. 738-747, 10 figs.

Hunt, G. R., and Wynn, J. C., 1979, Visible and near-infrared spectra of rocks from chromium-rich areas, Geophysics, v. 44, p. 820-825.

Johnson, G. R., 1980, Porosity and density of Kilauea volcano basalts, Hawaii, in Shorter contributions to geophysics, 1979: U.S. Geological Survey Professional Paper 1123-B, p. B1-B6.

\_\_\_\_\_, 1979, Textural properties, in Hunt, G. R., and others, Initial report of the Petrophysics Laboratory: U.S. Geological Survey Circular 789, p. 67-74.

Johnson, G. R., and Olhoeft, G. R., 1979, Density of rocks and minerals, in CRC handbook of physical properties of rocks and minerals: Chemical Rubber Company Press, Inc. [in press].

Milton, N. M., 1978, Spectral reflectance measurements of plants in the East Tintic Mountains, Utah: U.S. Geological Survey Open-File Report 78-448, 11 p., 106 Figs.

Frisillo, A. L., Olhoeft, G. R., and Strangway, D. W., 1975, Effects of vertical stress, temperature, and density on the dielectric properties of lunar samples 72441.12, 15301.38, and a terrestrial basalt: Earth and Planetary Science Letters, v. 24, p. 345-356.

Manghani, M. H., Rai, C. S., Katahara, K. W., and Olhoeft, G. R., 1980, Ultrasonic velocity and attenuation in basalt melt: Journal Geophysical Research, special issue on Q Symposium [in press].

Rossiter, J. R., Strangway, D. W., Koziar, A., Wong, J., and Olhoeft, G. R., 1978, Electromagnetic soundings of permafrost, N.W.T., Canada, in winter and summer, in Third International Conference on Permafrost, Edmonton, 1978, Proceedings: Ottawa, National Research Council, v. 1, p. 567-572.

- Strangway, D. W., and Olhoeft, G. R., 1977, Electrical properties of planetary surfaces: Royal Society London, Philosophical Transactions A, v. 285, p. 441-450.
- Strangway, D. W., Pearce, G. W., and Olhoeft, G. R., 1975, Magnitnia i dielektricheskia svoistva lunnich obrazshov (in Russian), in Cosmochimia Lun i Planet: Moscow, Nauka Publishing House, p. 721-728.
- \_\_\_\_\_, 1977, Magnetic and dielectric properties of lunar samples, in Soviet-American Conference on the Cosmochemistry of the Moon and Planets, Proceedings: NASA SP-370, p., 417-432.
- Ucok, H., Olhoeft, G. R., and Ershagi, I., 1979, Electrical resistivity of geothermal brines, in International Symposium on Oilfield and Geothermal Chemistry, 1979, Houston: Society Petroleum Engineers, American Institute Mining, Metallurgical, and Petroleum Engineers SPE 7878, p. 163-172.
- Wong, J., Rossiter, J. M., and Olhoeft, G. R., and Strangway, D. W., 1977, Permafrost: electrical properties of the active layer measured in situ: Canadian Journal Earth Sciences, v. 14, p. 582-586.
- Young, E. J., and Olhoeft, G. R., 1976, Relations between specific gravity and chemical composition for a suite of igneous and metamorphic rocks: U.S. Geological Survey Open-File Report 76-809, 2 pls., 14 p.
- Olhoeft, G. R., 1976, Effects of water on the electrical properties of planetary regoliths: Colloquium on Water in Planetary Regoliths, Proceedings, Dartmouth College, p. 68-70.
- \_\_\_\_\_, 1976, Electrical properties of rocks, in Strens, R. G. J., ed., The physics and chemistry of minerals and rocks: London, John Wiley and Sons, p. 261-278.
- \_\_\_\_\_, 1977, Electrical properties of natural clay permafrost: Canadian Journal Earth Sciences, v. 14, p. 16-24.
- \_\_\_\_\_, 1977, Electrical properties of water saturated basalt: preliminary results to 506K (233°C): U.S. Geological Survey Open-File Report 77-688, 8 p.
- \_\_\_\_\_, 1977, Nonlinear complex resistivity for the characterization of sedimentary uranium deposits, in Campbell, J. A., ed., Short Papers of the U.S. Geological Survey Uranium-Thorium Symposium, 1977: U.S. Geological Survey Circular 753, p. 12-13.
- \_\_\_\_\_, 1978, Algorithm and BASIC program for ordinary least-squares regression in two and three dimensions: U.S. Geological Survey Open-File Report 78-876, 8 p.
- \_\_\_\_\_, 1978, Electrical properties of permafrost, in Third International Conference on Permafrost, Edmonton, 1978, Proceedings: Ottawa, National Research Council, v. 1, p. 127-131.

- Olhoeft, G. R., 1978, Electrical properties of salt cored from Carlsbad, New Mexico: U.S. Geological Survey Open-File Report 78-463, 4 p., 1 fig.
- \_\_\_\_\_, 1978, Nonlinear complex resistivity as a technique to study the state and chemistry of ground-water, in Second Colloquium on Planetary Water and Polar Processes, Proceedings: U.S. Army CRREL, Hanover, p. 9-11.
- \_\_\_\_\_, 1979, Electrical conductivity from 200° to 1000°C for 264 rocks and minerals (after data in Bondarenko and Parkhomenko, 1972): U.S. Geological Survey Open-File Report 79-846, 284 p.
- \_\_\_\_\_, 1979, Electrical properties, in Hunt, G. R., and others, Initial report of the Petrophysics Laboratory: U.S. Geological Survey Circular 789, p. 1-26.
- \_\_\_\_\_, 1979, Impulse radar studies of near surface geological structure, in Lunar and Planetary Science X: Lunar and Planetary Science Institute, Houston, p. 943-945.
- \_\_\_\_\_, 1979, Nonlinear complex resistivity as a technique to study the state and chemistry of groundwater, in Proceedings of the Second Colloquium on Planetary Water and Polar Processes, Hanover, N.H., Oct. 1978: U.S. Army Cold Regions Research and Engineering Laboratory, p. 28-31.
- \_\_\_\_\_, 1979, Nonlinear electrical properties, in Neel, L., ed., Nonlinear behavior of molecules, atoms, and ions in electric, magnetic or electromagnetic fields: Amsterdam, Elsevier, p. 395-410.
- \_\_\_\_\_, 1979, Tables of room temperature electrical properties for selected rocks and minerals with dielectric permittivity statistics: U.S. Geological Survey Open-File Report 79-993, 24 p., 3 fig., 2 tables.
- \_\_\_\_\_, 1979, Thawing of permafrost along the Trans-Alaska pipeline: Ottawa, National Research Council, Technical Memorandum [in press].
- \_\_\_\_\_, 1980, Electrical properties of granite with implications for the lower crust and upper mantle: Journal Geophysical Research [in press].
- \_\_\_\_\_, 1980, Electrical properties of rocks, in Touloukian, Y. S., Judd, W. R., and Roy, R. F., eds., Physical properties of rocks and minerals: New York, McGraw-Hill, p. 9-1 to 9-6.
- \_\_\_\_\_, 1980, Initial report of the Petrophysics Laboratory: 1977-1979 addendum: U.S. Geological Survey Open-File Report 80-522, 9 p.
- \_\_\_\_\_, 1980, Parametric considerations, in Touloukian, Y. S., Judd, W. R., and Roy, R. F., eds., Physical properties of rocks and minerals: New York, McGraw-Hill, p. 2-1 to 2-7.

Olhoeft, G. R., Elliot, C., Fuller, B. D., Keller, G. V., Scott, W. J., and Strangway, D. W., 1978, Proposed standards for the presentation of electrical and electromagnetic data: Society of Exploration Geophysicists, Report of the Subcommittee on Electrical Standards of the Mining Committee, 13 p.

Olhoeft, G. R., Schaefer, B., Johnson, G. R., 1979, Experimental measurements of surface and volume scattering processes at microwave wavelengths, in Lunar and Planetary Science X: Lunar and Planetary Science Institute, Houston, p. 946-948.

Olhoeft, G. R., and Scott, J. H., 1980, Nonlinear complex resistivity logging: Society of Professional Well Log Analysts, Transactions, 21st Annual Logging Symposium, p. T1-T18.

Olhoeft, G. R., and Strangway, D. W., 1975, Electrical properties of the first 100 metres of the moon: Earth and Planetary Science Letters, v. 24, p. 394-404.

Olhoeft, G. R., Strangway, D. W., and Annan, A. P., 1975, Electrical properties and water in lunar soil, in Lunar Science VI: Lunar Science Institute, Houston, p. 625-627.

Olhoeft, G. R., Strangway, D. W., and Pearce, G. W., 1975, Effects of water on electrical properties of lunar fines, in Sixth Lunar Science Conference, Proceedings: Geochimica et Cosmochimica Acta, sup. 6, p. 3333-3342.

Olhoeft, G. R., Watts, R. D., Frischknecht, F. C., Bradley, J. A., and Dansereau, D. A., 1979, Electromagnetic geophysical exploration in the National Petroleum Reserve in Alaska, in Symposium on Permafrost Field Methods and Permafrost Geophysics, Proceedings, October 1977, Saskatoon: Ottawa National Research Council, Technical Memorandum no. 124, p. 184-190.

Herndon, J. M., Rowe, M. W., Larson, E. E., and Watson, D. E., 1975, Origin of magnetite and pyrrhotite in carbonaceous chondrites: Nature, v. 253, no. 5492, p. 516-518.

— 1976, Thermomagnetic analysis of meteorites, Part 3: C3 and C4 chondrites: Earth and Planetary Science Letters, v. 27, no. 2, p. 283-290.

Larson, E. E., Hoblitt, R., and Watson, D. E., 1975, Gas-mixing techniques in thermomagnetic analysis: Royal Astronomical Society Geophysical Journal, v. 43, no. 2, p. 607-620.

Watson, D. E., 1979, Magnetic properties, in Hunt, G. R., and others, Initial report of the Petrophysics Laboratory: U.S. Geological Survey Circular 789, p. 26-49.

Watson, D. E., Larson, E. E., Herndon, J. M., and Rowe, M. W., 1975, Thermomagnetic analysis of meteorites, Part 2: C2 chondrites: Earth and Planetary Science Letters, v. 27, no. 1, p. 101-107.

## REMOTE SENSING

- Elston, D. P., 1976, Geological evaluation of north-central Arizona, in Williams, R. S., Jr., and Carter, W. D., eds., ERTS-1, a new window on our planet: U.S. Geological Survey Professional Paper 929, p. 59-66.
- Elston, D. P., and DiPaolo, W. D., 1976, Verde Valley, in Goetz, A. F. H., and others, Comparison of Skylab and Landsat images for geologic mapping in northern Arizona: NASA, 7-100, Task Order RD-161, p. IIB1-IIB43.
- Bredehoeft, J. D., England, A. W., Stewart, D. B., Trask, N. J., and Winograd, I. J., 1978, Geologic disposal of high-level radioactive wastes--earth-science perspectives: U.S. Geological Survey Circular 779, 15 p.
- Reiter, M., Simmons, G., Chessman, M., England, A. W., and others, 1976, Terrestrial heat flow near Datil, New Mexico: Annual Report New Mexico Bureau of Mines and Mineral Resources, July 1, 1975-June 30, 1976, p. 33-37.
- Tyler, L., Howard, T., England, A. W., and Cuzzi, J., 1976, Radar studies of surface properties, in Greeley, R., and Carr, M. H., eds., A geological basis for exploration of the planets: NASA, SP-419, p. 71-74.
- Watts, R. D., and England, A. W., 1976, Radio-echo sounding of temperate glaciers: Ice properties and sounder design criteria: Journal Glaciology, v. 17, no. 75, p. 39-48.
- England, A. W., 1976, Thermal microwave emission from a scattering layer: Journal Geophysical Research, v. 80, p. 4484-4496.
- \_\_\_\_\_, 1976, Relative influence upon microwave emissivity of fine-scale stratigraphy, internal scattering, and dielectric properties: Pure and Applied Geophysics, v. 114, p. 287-299.
- England, A. W., and Johnson, G. R., 1976, The thermal microwave detection of near-surface thermal anomalies: Second United Nations Symposium on Development of Geothermal Resources, Proceedings, San Francisco, p. 971-977.
- \_\_\_\_\_, 1977, Microwave brightness spectra of layered media: Geophysics, v. 42, no. 3, p. 514-521.
- \_\_\_\_\_, 1978, Spectral gradient of Lunar radiobrightness: Heat flow or volume scattering?: U.S. Geological Survey Journal Research, v. 6, no. 4, p. 505-509.
- England, A. W., and Nelson, W. H., 1978, Geophysical studies of the Dufek pluton, Pensacola Mountains, 1976-77: Antarctic Journal of the U.S., v. 12, p. 93-94.

Preble, D. M., Friedman, Jules D., and Frank, David, 1977, Electronic thermal sensor and Landsat Data Collection Platform technology: U.S. Geological Survey Open-File Report 77-87, 64 p., 16 fig., 8 photographs. Also National Technical Information Service, E78-10124 (Thermal surveillance of active volcanoes using the Landsat-1 Data Collection System: Part 5).

Friedman, Jules D., 1975, Thermal infrared imagery; Terrain and minerals: Assessment and evaluation, chap. 16, in Bowden, L. W., and Pruitt, E. L., eds., Manual of remote sensing, v. II: Falls Church, Va., American Society Photogrammetry, p. 1205-1215.

Friedman, Jules D., and Frank, David, 1977, Heat discharge from Mount St. Helens, Washington: U.S. Geological Survey Open-File Report 77-541, 30 p., 6 figs. Also National Technical Information Service, E78-10122 (Thermal surveillance of active volcanoes using the Landsat-1 Data Collection System: Part 3).

\_\_\_\_\_, 1977, Structural and heat-flow implications of infrared anomalies at Mt. Hood, Oregon: U.S. Geological Survey Open-File Report 77-599, 29 p., 6 figs., (incl. 2 photographs).

\_\_\_\_\_, 1978, Thermal surveillance of active volcanoes using the Landsat-1 Data Collection System: Part 4. Lassen volcanic region: National Technical Information Service, E78-10123, 68 p.

\_\_\_\_\_, 1980, Infrared surveys, radiant flux and total heat discharge at Mount Baker volcano, Washington, between 1970 and 1975: U.S. Geological Survey Professional Paper 1022D, 33 p.

\_\_\_\_\_, 1980, Remote sensing studies in Paradox basin, Utah, in Roseboom, E. H., Jr., ed., U.S. Geological Survey research in radioactive waste disposal--fiscal year 1979: U.S. Geological Survey Circular [in press].

Friedman, Jules D., and Heiken, Grant, 1977, Skylab 4 observations of volcanoes, Part A. Volcanoes and volcanic landforms, in Wilmarth, V. R., et al., Skylab explores the earth: NASA, SP-380, p. 137-171.

Friedman, Jules D., Heiken, Grant, Randerson, Darryl, and McKay, D. S., 1976, Observations of eruption clouds from Sakura-zima volcano, Kyushu, Japan, from Skylab 3 and 4: Journal Volcanology and Geothermal Research, v. 1, no. 4, p. 305-329.

Friedman, Jules D., Preble, D. M., Frank, David, and Jakobsson, Sveinn, 1976, Thermal surveillance of active volcanoes using the Landsat-1 Data Collection System: Preface and Part 1: National Technical Information Service, E78-10121, 89 p.

Friedman, Jules D., Preble, D. M., and Jakobsson, Sveinn, 1976, Geothermal flux through palagonitized tephra, Surtsey, Iceland--the Surtsey temperature-data-relay experiment via Landsat-1: U.S. Geological Survey Journal Research, v. 4, no. 6, p. 645-659.

Friedman, Jules D., and Simpson, S. L., 1978, Landsat investigations of the northern Paradox basin, Utah and Colorado: implications for radioactive waste emplacement. Part 1. Lineaments and alignments: U.S. Geological Survey Open-File Report 78-900, 49 p., 7 figs., 1 pl.

\_\_\_\_\_, 1980, Lineaments and geologic structure of the northern Paradox basin, Colorado and Utah: U.S. Geological Survey Miscellaneous Field Studies Map, MF-1221, 1:250,000 and 1:500,000, 2 sheets.

Lee, Keenan, Prost, G. L., Knepper, D. H., Jr., Sawatzky, D. L., and others, 1975, Geologic and mineral and water resources investigations in western Colorado using Skylab EREP data: Final Report: Colorado School Mines Remote Sensing Report 75-7, Golden, Colo., 53 p.

Zech, R. S., and Knepper, D. H., Jr., 1979, Landsat linear feature data of the Gallup-Grants uranium district, New Mexico: U.S. Geological Survey Open-File Report 79-1507, 35 p.

Knepper, D. H., Jr., (contributing author), 1975, Terrain and minerals: Assessment and evaluation, chap. 16, in Bowden, L. W., and Pruitt, E. L., eds., Manual of remote sensing, v. II: Falls Church, Va., American Society Photogrammetry, p. 1107-1351.

Knepper, D. H., Jr., 1975, Evaluation of Skylab S190-A photos for rock discrimination and comparison with ERTS imagery: Colorado School Mines Remote Sensing Report 75-4, Golden, Colo., 25 p.

\_\_\_\_\_, 1979, Linear feature data derived from Landsat images of southeastern Missouri: U.S. Geological Survey Open-File Report 79-992, 45 p., 14 oversize sheets.

Krohn, M. D., Abrams, M. J., Rowan, L. C., 1978, Discrimination of hydro-thermally altered rocks along the Battle Mountain-Eureka, Nevada, mineral belt using Landsat images: U.S. Geological Survey Open-File Report 78-585, 84 p., 12 figs., 6 color plates.

Krohn, M. D., 1979, Enhancement of Landsat images for lineament analysis in the area of the eastern Salina Basin, New York and Pennsylvania: U.S. Geological Survey Open-File Report 79-533, 39 p., 14 figs.

McGee, L. C., 1979, Remote sensing enhanced: Geotimes, v. 24, no. 5, p. 23-26.

Miller, S. H., Nelms, C. A., and Watson, Kenneth, 1980, Reflectance and thermal-infrared aircraft scanner images of Newberry Caldera, Oregon: U.S. Geological Survey Open-File Report 80-234, 44 oversize sheets.

Miller, S. H., and Watson, Kenneth, 1977, Evaluation of algorithms for geological thermal-inertia mapping: 11th International Symposium on Remote Sensing of Environment, Proceedings, Ann Arbor, Mich., v. 2, p. 1147-1160.

Miller, S. H., and Watson, Kenneth, 1980, Geologic application of thermal-inertia mapping from satellite: NASA quarterly reports, HCM-027, December 1977 through June 1980 [in press].

\_\_\_\_\_, 1980, Ground support data for the aircraft multispectral reflectance and thermal scanner mission Nov./Dec. 1977, on the island of Hawaii: U.S. Geological Survey Open-File Report 80-470, 40 p.

Miller, S. H., Watson, Kenneth, and Kipfinger, R. P., Jr., 1980, Ground support data from July 10 to July 29, 1978, for the HCMM thermal satellite over the Powder River Basin, Wyoming: U.S. Geological Survey Open-File Report 80-469, 43 p.

Nelms, C. A., Miller, S. H., and Watson, Kenneth, 1980, Multispectral reflectance and thermal-infrared aircraft mission of Mt. Hood, Oregon, September 1977: U.S. Geological Survey Open-File Report 80-882, 31 oversize sheets.

Offield, T. W., 1975, Line-grating diffraction in image analysis: Enhanced detection of linear structure, Colorado Front Range: Modern Geology, v. 5, p. 101-107.

\_\_\_\_\_, 1975, Thermal-infrared images as a basis for structure mapping, Colorado Front Range and plains: Geological Society America Bulletin, v. 86, p. 495-502.

\_\_\_\_\_, 1976, Remote sensing in uranium exploration: International Atomic Energy Agency, Proceedings International Symposium on Exploration for Uranium Ore Deposits, Vienna, Austria, p. 731-744.

Offield, T. W., Abbott, E. A., Gillespie, A. R., and Loguercio, Sabino, 1977, Enhanced Landsat images for mapping structural control in southern Brazil copper region: Geophysics, v. 42, p. 256-274.

Lee, F. T., O'Leary, D. W., and Diehl, S. F., 1977, Preliminary analysis of lineament and engineering properties of bedrock, Penobscot Bay area, Maine: U.S. Geological Survey Open-File Report 77-886, 26 p., 6 figs.

O'Leary, D. W., 1977, Remote sensing for lineaments in the Mississippi embayment: Earthquake Information Bulletin, v. 9, no. 1, p. 14-18.

\_\_\_\_\_, 1979, Focus on environmental geology: A collection of case histories and readings from original sources (review): Geology, v. 6, no. 12, p. 814.

O'Leary, D. W., and Friedman, Jules D., 1979, Towards a workable lineament symbology, in O'Leary, D. W., ed., Third International Conference on Basement Tectonics, Proceedings: Durango, Colo. [in press].

\_\_\_\_\_, 1980, Some aspects of the geomorphic evolution of the breached anticlinal valleys, Paradox basin, Utah and Colorado: U.S. Geological Survey Open-File Report 80- [in press].

O'Leary, D. W., Friedman, Jules D., and Pohn, H. A., 1976, Lineament, linear, lineation--some proposed new standards for old terms: Geological Society America Bulletin, v. 87, p. 1463-1469.

\_\_\_\_\_, 1978, Lineament, linear, lineation--some proposed new standards for old terms: Discussion and reply: Geological Society America Bulletin, v. 88, p. 159-160.

O'Leary, D. W., and Pohn, H. A., 1978, A photogeologic comparison of Skylab and Landsat images of southwestern Nevada and southeastern California: NASA Report, National Technical Information Service, N76 20598/LL.

O'Leary, D. W., and Simpson, S. L., 1975, Lineaments and tectonism in the northern part of the Mississippi embayment: 10th International Symposium on Remote Sensing of Environment, Proceedings, Ann Arbor, Mich., v. 2, p. 965-973.

\_\_\_\_\_, 1977, Remote sensor applications to tectonism and seismicity in the northern part of the Mississippi embayment: Geophysics, v. 42, no. 3, p. 542-548.

Blodget, H. W., Gunther, S. J., Podwysocki, M. H., 1978, Discrimination of rock classes and alteration products in southwestern Saudi Arabia with computer-enhanced Landsat data: NASA Technical Paper 1327, 40 p.

Gol'braikh, I. G., Zabaluyev, V. V., and others, 1968, Morfostrukturnye metody izucheniya tektoniki zakrytykh platformennykh neftegazonosnykh oblastei (Morphostructural methods for the tectonic study of covered platform oil and gas bearing regions): NEDRA, Leningrad, 151 p; translated by Podwysocki, M. H.: National Technical Information Service, N77 11615/LL.

Merembeck, B. F., Borden, F. Y., Podwysocki, M. H., and Applegate, D. N., 1977, Application of canonical analysis to multispectral scanner data, in Ramani, R. V., ed., 14th International Symposium on Applications of Computer Methods in the Mineral Industries, Proceedings: Society Mining Engineers; American Institute Mining, Metallurgical, and Petroleum Engineers, p. 867-879.

Podwysocki, M. H., 1976, An estimate of field-size distributions for selected sites in the major grain producing countries: Goddard Space Flight Center Document X-923-76-93, 34 p. Also National Technical Information Service, N77-21528/3G1.

\_\_\_\_\_, 1976, Analysis of field-size distributions, Lacie test sites 5029, 5033 and 5039, Anhwei Province, People's Republic of China: Goddard Space Flight Center Document X-923-76-145, 8 p. Also National Technical Information Service, N76-27652/6G1.

\_\_\_\_\_, 1977, Computer applications in fracture analysis, in Ramani, R. V., ed., 14th International Symposium on Applications of Computer Methods in the Mineral Industries, Proceedings: Society Mining Engineers; American Institute Mining, Metallurgical, and Petroleum Engineers, p. 880-894.

Podwysocki, M. H., and Earle, J. L., eds., 1979, Second International Conference on Basement Tectonics, Proceedings: Salt Lake City, Utah, Basement Tectonics Committee, Pub. no. 1, 595 p.

Podwysocki, M. H., and Gold, D. P., 1978, The surface geometry of inherited fracture patterns resulting from active and passive deformation, in Podwysocki, M. H., and Earle, J. L., eds., Second International Conference on Basement Tectonics, Proceedings: Salt Lake City, Utah, Basement Tectonics Committee, Pub. no. 1, p. 542-559.

Podwysocki, M. H., Moik, J. G., and Shoup, W. C., 1975, Quantification of geologic lineaments by manual and machine processing techniques: Goddard Space Flight Center Document X-923-75-183, 23 p. Also NASA Earth Resources Survey Symposium, Proceedings, Houston, Texas, v. 1B, p. 885-904. Also National Technical Information Service, N75-30702/5G1.

Podwysocki, M. H., Pohn, H. A., Krohn, M. D., Phillips, J. D., Purdy, T. L., and Merin, I. S., 1981, Evaluation of remote sensing, geological, and geophysical data for south-central New York and northern Pennsylvania: U.S. Geological Survey Open-File Report [in press].

Podwysocki, M. H., and Segal, D. B., 1980, Preliminary digital classification map of limonitic rocks, Beaver Lake 15-minute quadrangle, Utah: U.S. Geological Survey Open-File Report 80-529, 1 sheet, scale 1:48,000.

— 1980, Preliminary digital classification map of limonitic rocks, Burbank Hills 15-minute quadrangle, Utah: U.S. Geological Survey Open-File Report 80-829, 1 sheet, scale 1:48,000.

— 1980, Preliminary digital classification map of limonitic rocks, Candland Spring quadrangle, Utah: U.S. Geological Survey Open-File Report 80-20, 1 sheet, scale 1:24,000.

— 1980, Preliminary digital classification map of limonitic rocks, Cat Canyon quadrangle, Utah: U.S. Geological Survey Open-File Report 80-22, 1 sheet, scale 1:24,000.

— 1980, Preliminary digital classification map of limonitic rocks, Crystal Peak 15-minute quadrangle, Utah: U.S. Geological Survey Open-File Report 80-531, 1 sheet, scale 1:48,000.

— 1980, Preliminary digital classification map of limonitic rocks, Frisco 15-minute quadrangle, Utah: U.S. Geological Survey Open-File Report 80-19, 1 sheet, scale 1:48,000.

— 1980, Preliminary digital classification map of limonitic rocks, Frisco Peak 15-minute quadrangle, Utah: U.S. Geological Survey Open-File Report 80-804, 1 sheet, scale 1:48,000.

— 1980, Preliminary digital classification map of limonitic rocks, Headlight Mountain quadrangle, Utah: U.S. Geological Survey Open-File Report 80-21, 1 sheet, scale 1:24,000.

- Podwysocki, M. H., and Segal, D. B., 1980, Preliminary digital classification map of limonitic rocks, Milford 15-minute quadrangle, Utah: U.S. Geological Survey Open-File Report 80-530, 1 sheet, scale 1:48,000.
- \_\_\_\_\_, 1980, Preliminary digital classification map of limonitic rocks, Sevier quadrangle, Utah: U. S. Geological Survey Open-File Report 80-18, 1 sheet, scale 1:24,000.
- \_\_\_\_\_, 1980, Preliminary digital classification map of limonitic rocks, The Barn 15-minute quadrangle, Utah: U.S. Geological Survey Open-File Report 80-528, 1 sheet, scale 1:48,000.
- \_\_\_\_\_, 1980, Preliminary digital classification map of limonitic rocks, Wah Wah Summit 15-minute quadrangle, Utah: U.S. Geological Survey Open-File Report 80-828, 1 sheet, scale 1:48,000.
- Pohn, H. A., 1976, A comparison of Landsat images and Nimbus thermal-inertia mapping of Oman: U.S. Geological Survey Journal Research, v. 4, no. 6, p. 661-665.
- \_\_\_\_\_, 1979, Copper exploration research in Iran using Landsat data: Central Treaty Organization Symposium on Applications of Remote Sensing Data and Methods, Proceedings, Oct. 1976, p. 152-170.
- Raines, G. L., 1977, Digital color analysis of color-ratio composite Landsat scenes: 11th International Symposium on Remote Sensing of Environment, Proceedings, Ann Arbor, Mich., v. 2, p. 1463-1472.
- \_\_\_\_\_, 1977, Maps of lineaments, lineament intersections, and hydrothermal alteration in northern Sonora, Mexico: U.S. Geological Survey Open-File Report 77-78, 12 maps, 5 p.
- \_\_\_\_\_, 1978, Porphyry copper exploration model for northern Sonora, Mexico: U.S. Geological Survey Journal Research, v. 6, no. 1, p. 51-58.
- \_\_\_\_\_, 1979, Maps of linear features and a preliminary lineament interpretation of western South Dakota: U.S. Geological Survey Open-File Report 79-595, 17 p., 6 maps.
- Raines, G. L., Bretz, R. F., and Shurr, G. W., 1979, Evaluation of a color-coded Landsat 5/6 ratio image for mapping lithologic differences in western South Dakota: U.S. Geological Survey Open-File Report 79-596, 20 p., 1 map.
- Raines, G. L., and Canney, F. C., 1980, Vegetation and geology, in Siegal, B. S., and Gillespie, A. R., eds., Remote sensing in geology: New York, John Wiley and Sons, p. 365-380.
- Raines, G. L., Offield, T. W., and Santos, E. S., 1978, Remote-sensing and subsurface definition of facies and structure related to uranium deposits, Powder River Basin, Wyoming: Economic Geology, v. 73, no. 8, p. 1706-1726.

Raines, G. L., and Santos, E. S., 1980, Maps showing lithofacies and limonite distribution of the Wasatch Formation in southern Powder River Basin, Wyoming: U.S. Geological Survey Miscellaneous Investigations Map MI-1246, 1:250,000, 2 sheets.

Raines, G. L., and Simpson, S. L., 1980, Maps and preliminary interpretation of linear features south of 40°N., Utah: U.S. Geological Survey Open-File Report 80-894, 57 p., 12 maps.

Abrams, M. J., Ashley, R. P., Goetz, A. F. H., Kahle, A. B., and Rowan, L.C., 1977, The use of spectral imaging in the 0.46 to 2.36 m region for alteration mapping in the Cuprite, Nevada mining district: U.S. Geological Survey Open-File Report 77-585.

Carter, W. D., and Rowan, L. C., 1978, Applying satellite technology to energy and mineral exploration: Episodes, v. 1978, no. 4, p. 19-24.

Kahle, A. B., and Rowan, L. C., 1980, Evaluation of multispectral middle infrared aircraft images for lithologic mapping in the East Tintic Mountains, Utah: Geology, v. 8, no. 5, p. 234-239.

Trask, N. J., Rowan, L. C., and Krohn, M. D., 1977, Lineament map of parts of Virginia, North Carolina, and South Carolina, pl. I and II: U.S. Geological Survey Open-File Map 77-434.

Vincent, R. K., Rowan, L. C., Gillespie, A. R., and Knapp, Charles, 1975, Thermal-infrared spectra and chemical analysis of twenty-six igneous rock samples: Remote Sensing Environment, v. 4, p. 199-209.

Rowan, L. C., 1975, Application of satellites to geological remote sensing: American Scientist, v. 63, no. 4, p. 393-403.

\_\_\_\_\_, 1977, Detection and mapping of mineralized areas in the Cortez-Uinta belt, Utah-Nevada using computer-enhanced ERTS imagery: NASA Type II Progress Report, National Technical Information Service, E77-10047, 3 p.

\_\_\_\_\_, 1980, Detecting and mapping altered rocks, chap. 14, in Siegal, B. S., and Gillespie, A. R., eds., Remote sensing and geology: New York, John Wiley and Sons [in press].

Rowan, L. C., and Abrams, M. J., 1978, Evaluation of Landsat Multispectral Scanner images for mapping altered rocks in East Tintic Mountains, Utah: U.S. Geological Survey Open-File Report 78-736, 73 p.

Rowan, L. C., Goetz, A. F. H., Ashley, R. P., and Siegal, B. S., 1976, Discrimination of hydrothermally altered and unaltered rocks in visible and near-infrared images: Geophysics, v. 42, no. 2, p. 275-287.

Rowan, L. C., Krohn, M. D., Purdy, T. L., 1980, Generalized map of occurrences of limonitic rocks in the Walker Lake 1° by 2° quadrangle, Nevada-California: U.S. Geological Survey Open-File Report 80-232, 1 sheet, scale 1:250,000.

Rowan, L. C., and Lathram, E. H., 1980, Mineral exploration, in Siegal, B. S., and Gillespie, A. R., eds., *Remote sensing in geology*: New York, John Wiley and Sons, p. 554-605.

Rowan, L. C., and Wetlaufer, P. H., 1975, Iron-absorption band analysis for the discrimination of iron-rich zones: NASA Type III Progress Report, National Technical Information Service, E75-10386, 203 p.

\_\_\_\_\_, 1979, Geologic evaluation of major Landsat lineaments in Nevada and their relationship to ore deposits: U.S. Geological Survey Open-File Report 79-544.

Rowan, L. C., Wetlaufer, P. H., and Goetz, A. F. H., 1976, Discrimination of rock types and detection of hydrothermally altered areas in south-central Nevada, in Williams, R. S., Jr., and Carter, W. D., eds., *ERTS-1, a new window on our planet*: U.S. Geological Survey Professional Paper 929, p. 102-105.

Sawatzky, D. L., and Ragsdale, G. L., 1978, Remote sensing applications of the Photomation P-1700: *Optronics Journal*, September, p. 2.

Sawatzky, D. L., and Raines, G. L., 1979, Geologic uses of linear-feature maps derived from small-scale maps, in O'Leary, D. W., ed., *Third International Conference on Basement Tectonics, Proceedings*: Durango, Colo. [in press].

Sawatzky, D. L., and Townsend, T. E., 1976, OPTRIN and OPTAPE: Programs for interchange of data between REMAPP and OPTRONICS P-1700 photomation: National Technical Information Service, PB-256 692, 41 p.

Goetz, A. F., Billingsley, F. C., Gillespie, A. R., Abrams, M. J., Squires, R. L., Shoemaker, E. M., Lucchitta, Ivo, and Elston, D. P., 1975, Applications of ERTS images and image processing to regional geologic problems and geologic mapping in northern Arizona: Jet Propulsion Laboratory Technical Report 32-1597, 188 p.

Townsend, T. E., 1979, Discrimination of alteration in the Crooks Gap, Wyoming, uranium district using laboratory and Landsat spectral reflectance data: U.S. Geological Survey Open-File Report 79-765, 73 p., 19 figs., 1 colored photograph.

Townsend, T. E., and Sawatzky, D. L., 1976, Programmer's guide for REMAPP remote sensing array processing procedures: National Technical Information Service, PB-256 693, 44 p..

Watson, Kenneth, 1975, Geologic applications of thermal-infrared images: Institute Electrical and Electronic Engineers, Proceedings, v. 63, no. 1, p. 128-137.

\_\_\_\_\_, 1978, Thermal phenomena and energy exchange in the environment: Mathematical and Physical Principles of Remote Sensing, Centre National d'Etudes Spatiales, Toulouse, p. 109-174.

Watson Kenneth, 1980, Direct computation of the sensible heat flux: Geophysical Research Letters, v. 7, no. 8, p. 616-618.

OTHER

Cady, J. W., 1975, Magnetic and gravity anomalies in the Great Valley and western Sierra Nevada metamorphic belt, California: Geological Society America Special Paper 168, 56 p.

Daniels, J. J., Keller, G. V., and Jacobson, J. J., 1976, Computer-assisted interpretation of two-loop induction soundings of permafrost: Geophysics, v. 41, no. 4, p. 752-765.

Hunton, P. W., and Elston, D. P., 1980, Origin of the river anticlines, central Grand Canyon, Arizona: U.S. Geological Survey Professional Paper 1126A, p. A1-A9.

Elston, D. P., 1980, Development of the central Arizona landscape during the past 25+ million years, in Smiley, T. L., Péwé, T. L., Nations, J. D., Schafer, J. P., eds., Landscapes of Arizona: The geological story: Tucson, Univ. Arizona Press [in press].

— 1979, Late Precambrian Sixtymile Formation and orogeny at top of the Grand Canyon Supergroup, northern Arizona: U.S. Geological Survey Professional Paper 1092, 20 p.

Elston, D. P., and DiPaolo, W. D., 1979, Pennsylvanian-Permian stratigraphy of the Sedona area and environs, central and northern Arizona, in Baars, D. L., ed., Permianland: Ninth Field Conference, Four Corners Geological Society Guidebook, p. 131-141.

Elston, D. P., and Scott, G. R., 1976, Unconformity at the Cardenas-Nankoweap contact (Precambrian), Grand Canyon Supergroup, Arizona: Geological Society America Bulletin, v. 87, p. 1763-1772.

Frank, David, Post, Austin, and Friedman, Jules D., 1975, Recurrent geothermally-induced debris avalanches from Boulder Glacier, Mt. Baker, Washington: U.S. Geological Survey Journal Research, v. 3, no. 1, p. 77-87.

Hasbrouck, W. P., Botsford, M. L., and Jennings, W. R., 1975, Data from ground magnetic survey of Ralston dike, Jefferson County, Colorado: U.S. Geological Survey Open-File Report 75-97, 43 p.

Johnson, G. R., 1980, Interpretation of aeromagnetic data, in Pearson, R. C., and U.S. Bureau of Mines, Mineral resources of the Indian Peaks study area, Boulder and Grand Counties, Colorado: U.S. Geological Survey Bulletin 1463, p. 26-29. (Supersedes Open-File Report 75-500).

Calkins, J. A., Offield, T. W., Abdullah, S. K. M., and Ali, S. T., 1975, Geology of the southern Himalaya in Hazara, Pakistan and adjacent areas: U.S. Geological Survey Professional Paper 716-C, 29 p.

- Offield, T. W., and Pohn, H. A., 1977, Deformation at the Decaturville impact structure, Missouri, in Roddy, D. J., Pepin, R. O., and Merrill, R. B., eds., Impact and explosion cratering: New York, Pergamon Press, p. 321-341.
- 1979, Geology of the Decaturville impact structure, Missouri: U.S. Geological Survey Professional Paper 1042, 48 p., 27 figs. 2 pls.
- O'Leary, D. W., 1975, Surficial geologic map of the Moodus quadrangle, Connecticut: U.S. Geological Survey Geologic Quadrangle Map GQ-1205.
- 1979, Surficial geologic map of the Marlborough quadrangle, Connecticut: U.S. Geological Survey Geologic Quadrangle Map GQ-1504.
- Pohn, H. A., and Purdy, T. L., 1979, Décollement in the southern Allegheny Plateau of Pennsylvania: U.S. Geological Survey Open-File Report 79-1321, 10 p.
- 1979, Thrust fault zones in the Allegheny Plateau of north-central Pennsylvania: U.S. Geological Survey Open-File Report 79-1604, 4 p., 8 figs.
- Shoemaker, E. M., and Kieffer, S. W., 1979, Guidebook to the geology of Meteor Crater, Arizona (Revised): Tempe, Arizona, Arizona State University, Center for Meteorite Studies, Pub. 17, 66 p.
- Shoemaker, E. M., Squires, R. L., and Abrams, M. J., 1979, Bright Angel and Mesa Butte fault systems of northern Arizona: Geological Society of America Memoir 152, p. 341-367.

BIBLIOGRAPHY FOR SELECTED PUBLICATIONS PRIOR TO 1975

ENERGY

Anderson, L. A., and Johnson, G. R., 1969, Resistivity soundings made for the determination of bedrock depths at Wiseman and Porcupine Creek on the Middle Fork of the Koyukuk River, Alaska, in Some shorter mineral resource investigations, Alaska, 1967: U.S. Geological Survey Circular 615, p. 5-11.

— 1970, Application of magnetic and electrical resistivity methods to placer investigations in the Fairbanks district, Alaska: U.S. Geological Survey Professional Paper 700-C, p. 107-113.

Anderson, L. A., Reed, B. L., and Johnson, G. R., 1970, Geologic interpretation of a residual aeromagnetic map of the Nixon Fork district, Alaska: U.S. Geological Survey Professional Paper 700-D, p. 129-133.

Cady, J. W., Ruppel, B. D., McHendrie, A. G., and Deas, H. S., 1973, Seismic, magnetic, and gravity profiles - Chukchi Sea and adjacent Arctic Ocean, 1972, Part II. Magnetic and gravity profiles: U.S. Geological Survey Open-File Report, 28 magnetic and gravity profile sheets.

Daniels, J. J., 1974, Interpretation of electromagnetic data using a layered earth model: Unpub. Ph.D. thesis, Colorado School Mines, Golden, Colo., 86 p.

Clark, R. B., Duval, J. S., and Adams, J. A. S., 1972, Computer simulation of an airborne gamma-ray spectrometer: Journal Geophysical Research, v. 77, no. 17, p. 3021-3031.

Duval, J. S., Cook, B. G., and Adams, J. A. S., 1971, A study of the circle of investigation of an airborne gamma-ray spectrometer: Journal Geophysical Research, v. 76, no. 35, p. 8466-8470.

Duval, J. S., Schwarzer, T. F., Cook, B. G., and others, 1972, Experimental comparison of NaI (Tl) and solid organic scintillation detectors for use in remote sensing of terrestrial gamma rays: Geophysics, v. 37, p. 879-888.

Johnson, G. R., and Sainsbury, C. L., 1972, Aeromagnetic and generalized geologic map of the west central Seward Peninsula, Alaska: U.S. Geological Survey Geophysical Investigations Map GP-881.

Pitkin, J. A., 1964, Aeroradioactivity surveys and geologic mapping, in Adams, J. A., and Lowder, W. M., eds., The natural radiation environment, A volume in the Rice University Semicentennial Series: Chicago, Univ. Chicago Press, p. 723-736.

— 1968, Airborne measurements of terrestrial radioactivity as an aid to geologic mapping: U.S. Geological Survey Professional Paper 516-F, 29 p.

Scott, J. H., 1963, Computer analysis of gamma-ray logs: *Geophysics*, v. 28, no. 3, p. 457-465.

Scott, J. H., and Tibbetts, B. L., 1974, Well-logging techniques for mineral deposit evaluation: A review: *U.S. Bureau Mines Information Circular* 8627, 45 p.

Scott, J. H., Tibbetts, B. L., and Burdick, R. G., 1972, Computer analysis of seismic refraction data: *U.S. Bureau Mines Report Investigation* 7595, 95 p.

#### PALEOMAGNETISM

Books, K. G., 1962, Remanent magnetism as a contributor to some aeromagnetic anomalies: *Geophysics*, v. 27, no. 3, p. 369-375.

— 1968, Magnetization of the lowermost Keweenawan lava flows in the Lake Superior area, in *Geological Survey Research 1968*: U.S. Geological Survey Professional Paper 600-D, p. 248-254.

— 1972, Paleomagnetism of some Lake Superior Keweenawan rocks: U.S. Geological Survey Professional Paper 760, 42 p.

Books, K. G., White, W. S., Beck, M. E., Jr., 1966, Magnetization of Keweenawan gabbro in northern Wisconsin and its relation to time of intrusion, in *Geological Survey Research 1966*: U.S. Geological Survey Professional Paper 550-D, p. 117-124.

Coe, R. S., and Grommé, C. S., 1973, A comparison of three methods of determining geomagnetic paleointensities: *Journal Geomagnetism Geoelectricity*, v. 25, p. 415-435.

Elston, D. P., and Grommé, C. S., 1974, Precambrian polar wandering from Unkar Group and Nankoweap Formation, eastern Grand Canyon, in *Geology of northern Arizona with notes on archaeology and paleoclimate*: Geological Society America Spring Meeting, Flagstaff, Ariz.

Elston, D. P., McKee, E. H., Scott, G. R., and Gray, G. D., 1974, Miocene-Pliocene volcanism in the Hackberry Mountain area and evolution of the Verde Valley, north-central Arizona, in *Geology of northern Arizona with notes on archaeology and paleoclimate*: Geological Society America Spring Meeting, Flagstaff, Ariz.

Elston, D. P., and Scott, G. R., 1971, Pueblito de Allende penetration craters and experimental craters formed by free fall: *Journal Geophysical Research*, v. 26, no. 23, p. 5756-5764.

— 1973, Paleomagnetism of some Precambrian basaltic flows and red beds, eastern Grand Canyon, Arizona: *Earth and Planetary Science Letters*, v. 18, no. 2, p. 253-265.

Grommé, C. S., McKee, E. H., and Blake, M. C., 1972, Paleomagnetic correlations and potassium-argon dating of middle Tertiary ashflow sheets in the eastern Great Basin, Nevada and Utah: Geological Society America Bulletin, v. 83, p. 1619-1638.

Grommé, C. S., and Vine, F. J., 1972, Paleomagnetism of Midway Atoll lavas and northward movement of the Pacific plate: Earth and Planetary Science Letters, v. 17, p. 159-168.

Grommé, C. S., Wright, T. L., and Peck, D. L., 1969, Magnetic properties and oxidation of iron-titanium oxide minerals in Alae and Makaopuhi lava lakes, Hawaii: Journal Geophysical Research, v. 74, no. 22, p. 5277-5293.

Mankinen, E. A., 1972, Paleomagnetism and potassium-argon ages of the Sonoma Volcanics, California: Geological Society America Bulletin, v. 83, p. 2063-2072.

Mankinen, E. A., and Dalrymple, G. B., 1972, Electron microprobe evaluation of terrestrial basalts for whole-rock K-Ar dating: Earth and Planetary Science Letters, v. 17, p. 89-94.

Helsley, C. E., and Spall, H. R., 1972, Paleomagnetism of 1140-1150 m.y. diabase sills from Gila County, Arizona: Journal Geophysical Research, v. 77, p. 2115-2128.

Spall, H. R., 1970, Paleomagnetism of the Pikes Peak granite, Colorado: Royal Astronomical Society Geophysical Journal, v. 21, p. 427-440.

\_\_\_\_\_, 1971, Paleomagnetism and K-Ar age of mafic dikes from the Wind River Range, Wyoming: Geological Society America Bulletin, v. 82, p. 2457-2472.

\_\_\_\_\_, 1971, Precambrian apparent polar wandering: Evidence from North America: Earth and Planetary Science Letters, v. 10, p. 273-280.

\_\_\_\_\_, 1972, Did Southern Africa and North America drift independently during the Precambrian?: Nature, v. 236, p. 219-221.

\_\_\_\_\_, 1973, A review of Precambrian paleomagnetic data for Europe: Earth and Planetary Science Letters, v. 18, p. 1-8.

\_\_\_\_\_, 1973, Some remarks on Precambrian magnetic reversal stratigraphy: Nature, v. 240, p. 402-403.

#### PETROPHYSICS

Campbell, D. L., 1974, The loading problem for a viscoelastic earth, Part I: Compressible, non-gravitating model: Pure and Applied Geophysics, v. 112, p. 997-1010.

Simmons, Gene, and England, A. W., 1969, Universal equations of state for oxides and silicates: Physical Earth Planetary Interiors, v. 2, p. 69.

Walsh, J. B., Brace, W. F., and England, A. W., 1965, Effect of porosity on compressibility of glass: Journal American Ceramics Society, v. 48, p. 605.

England, A. W., Simmons, Gene, and Strangway, D. W., 1968, Lunar electrical conductivity: Journal Geophysical Research, v. 73, p. 3219.

Logan, L. M., Hunt, G. R., Salisbury, J. W., and Balsamo, S. R., 1973, Compositional implications of Christiansen frequency maxima for infrared remote sensing applications: Journal Geophysical Research, v. 78, p. 4983-5003.

Hunt, G. R., and Salisbury, J. W., Visible and near-infrared spectra of minerals and rocks:

1970, I. Silicate minerals: Modern Geology, v. 1, p. 283-300.

1971, II. Carbonates: Modern Geology, v. 2, p. 23-30.

\_\_\_\_\_ 1974, Mid-infrared spectral behavior of igneous rocks: AFCRL-TR-74-0625.

Hunt, G. R., Salisbury, J. W., and Lenhoff, C. J., Visible and near-infrared spectra of minerals and rocks:

1971, III. Oxides and hydroxides: Modern Geology, v. 2, p. 195-205.

1971, IV. Sulphides and sulphates: Modern Geology, v. 3, p. 1-14.

1972, V. Halides, phosphates, arsenates, vanadates and borates: Modern Geology, v. 3, p. 121-132.

1973, VI. Additional silicates: Modern Geology, v. 4, p. 85-106.

1973, VII. Acidic igneous rocks: Modern Geology, v. 4, p. 217-224.

1973, VIII. Intermediate igneous rocks: Modern Geology, v. 4, p. 237-244.

1974, IX. Basic and ultrabasic igneous rocks: Modern Geology, v. 5, p. 15-22.

Strangway, D. W., Chapman, W. B., Olhoeft, G. R., and Carnes, J., 1972, Electrical properties of lunar soil--dependence upon frequency, temperature, and moisture: Earth and Planetary Science Letters, v. 16, p. 275-281.

Olhoeft, G. R., Frisillo, A. L., and Strangway, D. W., 1974, Electrical properties of lunar soil sample 15301, 38: Journal Geophysical Research, v. 79, p. 1599-1604.

Olhoeft, G. R., and Strangway, D. W., 1974, Electrical properties of the surface layers of Mars: Geophysical Research Letters, v. 1, p. 141-143.

\_\_\_\_\_ 1974, Magnetic relaxation and the electromagnetic response parameter: Geophysics, v. 39, p. 302-311.

Olhoeft, G. R., Strangway, D. W., and Frisillo, A. L., 1973, Lunar sample electrical properties, in Fourth Lunar Science Conference, Proceedings: Geochimica et Cosmochimica Acta, Sup. 4, p. 3133-3149.

Scott, J. H., Carroll, R. D., and Cunningham, D. R., 1967, Dielectric constant and electrical conductivity of moist rock: A new laboratory method: Journal Geophysical Research, v. 72, no. 20, p. 5105-5115.

Kellogg, K., Larson, E. E., and Watson, D. E., 1970, Thermo-chemical remanent magnetization and thermal remanent magnetization: Comparison in basalt: *Science*, v. 170, p. 628-630.

Larson, E. E., Watson, D. E., Herndon, J. M., and Rowe, M. W., 1973, Partial A.F. demagnetization studies of 40 meteorites: *Journal Geomagnetism Geoelectricity*, v. 25, p. 331-338.

— 1974, Thermomagnetic analysis of meteorites, Part I: C1 chondrites: *Earth and Planetary Science Letters*, v. 21, p. 345-350.

Larson, E. E., Watson, D. E., and Jennings, W. F., 1971, Regional comparison of a Miocene geomagnetic transition in Oregon and Nevada: *Earth and Planetary Science Letters*, v. 11, no. 5, p. 391-400.

#### REMOTE SENSING

Goetz, A. F. H., Billingsley, F. C., Elston, D. P., Lucchitta, Ivo, and Shoemaker, E. M., 1974, Geologic applications of ERTS images on the Colorado Plateau, Arizona: *Third Earth Resources Technology Satellite-1 Symposium*, NASA, Washington, D. C., v. I, sec. A, p. 719-744.

England, A. W., 1973, To sample the moon: *American Society Testing and Materials, Special Technical Paper* 540.

— 1974, The effect upon microwave emissivity of volume scattering in snow, in ice, and in frozen soil: *URSI meeting on Microwave Scattering and Emission from the Earth, Proceedings*, Berne, Switzerland, p. 273-287.

— 1974, Thermal microwave emission from a scattering halfspace: *Radio Science*, v. 9, p. 447-454.

Pálmasón, G., Friedman, Jules D., Williams, R. S., Jr., Jonsson, J., and Sae-mundsson, K., 1970, Aerial infrared surveys of Reykjanes and Torfajökull thermal areas, Iceland, with a section on cost of exploration surveys: *Geothermics, special issue 2; United Nations Symposium on Development and Utilizatiiion of Geothermal Resources, Proceedings*, Pisa, Italy, v. 2, pt. 1, p. 399-412.

Valle Gómez, R., Friedman, Jules D., Gawarecki, S. J., and Banwell, C. J., 1970, Photogeologic and thermal-infrared reconnaissance surveys of the los Negritos-Ixtlan de los Hervores geothermal area, Michoacan, Mexico: *Geothermics, special issue 2; United National Symposium on Development and Utilization of Geothermal Resources, Proceedings*, Pisa, Italy, v. 2, pt. 1, p. 381-398.

Friedman, Jules D., 1970, The airborne infrared scanner as a geophysical research tool: *Optical Spectra*, v. 4, issue 6, p. 35-44.

Friedman, Jules D., Frank, David, Preble, D. M., and Painter, J. E., 1973, Thermal surveillance of Cascade Range volcanoes using ERTS-1 multispectral scanner, aircraft imaging systems, and ground-based Data Communications Platforms, in Symposium on Significant Results Obtained from the Earth Resources Technology Satellite-1: NASA SP-327, v. 1, p. 1549-1560.

Friedman, Jules D., Johansson, C. E., Oskarsson, N., Svensson, H., Thórarinsson, S., and Williams, R. S., Jr., 1971, Observations on Icelandic polygon surfaces and palsas area. Photo interpretation and field studies: Geografiska Annaler, v. 53, ser. A, p. 115-145.

Friedman, Jules D., Williams, R. S., Jr., Miller, C. D., and Palmason, G., 1969, Infrared surveys in Iceland--preliminary report: U.S. Geological Survey Professional Paper 650-C, p. C89-C105.

Friedman, Jules D., Williams, R. S., Jr., Thórarinsson, S., and Pálmasón, G., 1972, Infrared emission from Kverkfjöll subglacial volcanic and geothermal area, Iceland: Jökull, 22 Ár, Reykjavik, Iceland, p. 27-43.

Lee, Keenan, Knepper, D. H., Jr., Sawatzky, D. L., and others, 1974, Geologic information from satellite images: Remote Sensing of Earth Resources, Univ. Tennessee Space Institute, v. 3, p. 411-448.

Knepper, D. H., Jr., ed., 1974, Geologic and mineral and water resources investigations in western Colorado using ERTS-1 data: Final Report: Colorado School Mines Remote Sensing Report 75-1, Golden, Colo., 224 p. (Sawatzky, D. L., contributor).

\_\_\_\_\_, 1974, Tectonic analysis of the Rio Grande rift zone, central Colorado: Unpub. Ph.D. thesis 1593, Colorado School of Mines, Golden, Colo., 237 p.

Knepper, D. H., Jr., and Marrs, R. W., 1972, Remote sensing aids geologic mapping: Eighth International Symposium on Remote Sensing of Environment, Proceedings, Ann Arbor, Mich., p. 1127-1136.

O'Leary, D. W., 1972, The form, structure, and evolution of the Allegheny Front in Centre County, Pennsylvania: Unpub. Ph.D. thesis, Pennsylvania State Univ., University Park, Penn.

Podwysocki, M. H., 1974, An analysis of fracture trace patterns in areas of flat-lying sedimentary rocks for the detection of buried geologic structure: Goddard Space Flight Center Document X-923-74-200, 88 p. Also National Technical Information Service, N74-32785/9G1.

Podwysocki, M. H., and Gold, D. P., 1974, The surface geometry of inherited fracture patterns resulting from active and passive deformation: Goddard Space Flight Center Document X-923-74-222, 38 p.

Podwysocki, M. H., and Lowman, P. D., 1974, FORTRAN IV programs for summarization and analysis of fracture trace and lineament patterns: Goddard Space Flight Center Document X-664-74-3, 44 p. Also National Technical Information Service, N74-18524-0G1.

Podwysocki, M. H., Weidner, J. R., Andre, C. G., and others, 1974, The application of trend surface analysis to a portion of the Apollo 15 X-ray fluorescence data: Goddard Space Flight Center Document X-682-74-129, 11 p. Also National Technical Information Service, N74-3028/8G1.

Pohn, H. A., 1971, Analysis of images and photographs by a Ronchi grating, Part 1, Remote sensor application studies progress report, 1968-69: National Technical Information Service, PB 197 101, 9 p.

\_\_\_\_\_, 1974, Near-infrared reflectance anomalies of andesite and basalt in southern California and Nevada: *Geology*, v. 2, no. 11, p. 547-550.

Pohn, H. A., Offield, T. W., Watson, Kenneth, 1974, Thermal-inertia mapping from satellite: Discrimination of geologic units in Oman: U.S. Geological Survey Journal Research, v. 2, no. 2, p. 147-158.

Raines, G. L., 1974, Evaluation of multiband photography for rock discrimination: Unpub. Ph.D. thesis (geology), Colorado School Mines, Golden, Colo., 86 p.

Raines, G. L., and Lee, Keenan, 1974, An evaluation of multiband photography for rock discrimination, in Shahrokh, F., ed., *Remote sensing of earth resources: Third Conference on Remote Sensing of Earth Resources, Proceedings*, Tullahoma, Tenn., v. 3, p. 361-396.

\_\_\_\_\_, 1974, Spectral reflectance measurements: *Photogrammetric Engineering*, v. 40, p. 547-550.

Offield, T. W., Rowan, L. C., and Watson, R. D., 1970, Linear geologic structure and mafic rock discrimination from infrared data: NASA Third Annual Earth Resources Program Review, Houston, Tex., v. I, sec. 12, p. 1-12.

Rowan, L. C., 1972, Near-infrared iron absorption bands: Applications to geologic mapping and mineral exploration: *Fourth Annual Earth Resources Progress Review*, Houston, Tex., v. 3, sec. 60, p. 1-18.

Rowan, L. C., Offield, T. W., Watson, Kenneth, Cannon, P. J., and Watson, R. D., 1970, Thermal infrared investigations, Arbuckle Mts., Oklahoma: *Geological Society America Bulletin*, v. 81, no. 12, p. 3549-3561.

Rowan, L. C., Wetlaufer, P. H., Goetz, A. F. H., Billingsley, F. C., and Stewart, J. H., 1974, Discrimination of rock types and detection of hydrothermally altered areas in south-central Nevada: U.S. Geological Survey Professional Paper 883, 35 p.

Sawatzky, D. L., and Lee, Keenan, 1974, New uses of shadow enhancement, in Shahrokh, F., ed., *Remote sensing of earth resources: Third Conference on Remote Sensing of Earth Resources, Proceedings*, Tullahoma, Tenn., v. 3, p. 1-18.

Vincent, R. K., Thomson, Fred, and Watson, Kenneth, 1972, Recognition of exposed quartz sand and sandstone by two-channel infrared imagery: *Journal Geophysical Research*, v. 77, no. 14, p. 2473-2477.

Watson, Kenneth, 1967, Proposed lunar heat flow measurement from a polar orbiting satellite: Journal Geophysical Research, v. 72, no. 12, p. 3301-3302.

\_\_\_\_\_, 1968, Photoclinometry from spacecraft images: U.S. Geological Survey Professional Paper 599-B, 10 p.

\_\_\_\_\_, 1973, Periodic heating of a layer over a semi-infinite solid: Journal Geophysical Research, v. 78, no. 26, p. 5904-5910.

\_\_\_\_\_, 1974, Geothermal reconnaissance from quantitative thermal infrared images: Ninth International Symposium on Remote Sensing of Environment, Proceedings, Ann Arbor, Mich., p. 1919-1932.

Watson, Kenneth, Brown, H., and Murray, B. C., 1961, The behavior of volatiles on the lunar surface: Journal Geophysical Research, v. 66, no. 9, p. 3033-3045.

\_\_\_\_\_, 1963, The stability of volatiles in the solar system: Icarus, v. 1, p. 317-327.

Watson, Kenneth, Rowan, L. C., and Offield, T. W., 1971, Application of thermal modeling in the geologic interpretation of IR images: Seventh International Symposium on Remote Sensing of Environment, Proceedings, Ann Arbor, Mich., v. 3, p. 2017-2041.